

8 MOTIVI PER SCEGLIERE GLORY



GRUPPO
Pixel


INDUSTRIA 4.0



La **gestione del contante** è molto costosa e comporta un grande impegno di risorse nei vari step di processo. È per questo che la gestione automatica del denaro contante risulta essere la soluzione più sicura ed efficace.

La **cassa automatica Glory** è una soluzione di Cash Management che aiuta i dipendenti a focalizzarsi sui clienti piuttosto che sulla gestione del denaro.

Ma quali sono gli **8 motivi** che ti spingeranno a scegliere una cassa automatica?

01 Azzeramento tempi ed errori di contabilizzazione

Il contante è contabilizzato minuto per minuto pertanto non risulta più necessaria la contabilizzazione seriale





02 Riduzione approvvigionamenti di denaro

La macchina trattiene il fondo cassa per il giorno dopo in fase di chiusura giornata e separa automaticamente il fondo cassa dall'incassato. Drastica riduzione degli approvvigionamenti con relativa diminuzione dei costi bancari di fornitura, dei tempi dedicati, della sicurezza connessa al trasporto fisico di denaro contante

03 Eliminazione delle banconote e delle monete false



La cassa controlla il falso in modo infallibile



04 Azzeramento rischio di rapina

La cassa è sicura ed inaccessibile.
Grazie alla sua impostazione di sicurezza,
la rapina in presenza di queste casse non
avviene.

05 Quadratura ed inventario di cassa in tempo reale

06 Percezione di maggiore sicurezza da parte dei dipendenti e dei clienti





07 Eliminazione degli arrotondamenti, degli ammanchi interni ed esterni

La cassa eroga il resto al centesimo. Il denaro non è accessibile ai dipendenti. L'apertura della postazione viene effettuata da personale opportunamente autorizzato. Azzeramento degli errori e truffe da parte del cliente, azzeramento delle contestazioni e reclami



08 Eliminazione dei contatti con il denaro e distanziamento interpersonale

La cassa permette quindi di ridurre i rischi tra clienti e dipendenti.



Caratteristiche e dati tecnici

Glory CI-5



Misure

- Larghezza totale 52 cm
- Profondità 59 cm
- Altezza 30 cm




Peso

- Peso totale circa 65 Kg
- Ancorabile



Alimentazione

- Alimentazione 240 V 50/60 Hz
- Consigliabile gruppo di continuità



Glory CI-10



Misure

- Larghezza totale 49 cm
- Profondità 48 cm
- Altezza regolabile da 82 a 85 cm



Peso

- Peso totale circa 120 Kg
- Ancorabile al terreno



Alimentazione

- Alimentazione 240 V 50/60 Hz
- Consigliabile gruppo di continuità



GLORY CI-5

	CI-5B (banknote recycler)	CI-5C (coin recycler)
Dimensions	200x590x300mm	320x590x300mm
Weight	30kg/66lbs.	35kg/77lbs.
Function	"Follow me" LED sign Exit shutter	"Follow me" LED sign Rejects foreign objects
Number of recycle modules	3 recycle modules Free layout recycle module	8 recycle modules Free layout recycle module
Capacity	50 notes/recycle	2/1/0.5 EURO 90 coins 1 EURO 100 coins 0.2 EURO 120 coins 0.1/0.05 EURO 180 coins 0.02 EURO 230 coins 0.01 EURO 310 coins
Coin overflow tray capacity	-	Option - 50 coins (0.1 EURO)
Collection box capacity	150 notes (based on banknote thickness of 0.3mm)	-
Total capacity of banknotes/coins	300 notes	Depends on a recycle module configuration

	CI-5B (banknote recycler)	CI-5C (coin recycler)
Deposit		
Capacity of inlet:	5 notes (with cover closed) 30 notes (with cover opened)	50 coins (0.1 EURO)
Speed of cash in:	3 notes/sec	4 coins/sec
Dispensing		
Capacity of outlet:	10 notes	50 coins (0.1 EURO)
Speed of cash out:	3 notes/sec	3coins/sec
Recognition unit	Counterfeit detection	Counterfeit detection
Currencies	EURO	EURO
Supply voltage range	AC 100V-240V (power unit only on CI-5C)	
Nominal frequency	50/60Hz	
Power consumption	40-200W	
Approval	CE, UL	CE, UL

GLORY CI-10

	CI-10B (banknote recycler)	CI-10C (coin recycler)
Dimensions	240x483x750-850mm 9.4"x19"x29.5"-33.5" (height can be adjusted)	240x483x750-850mm 9.4"x19"x29.5"-33.5" (height can be adjusted)
Weight	60kg/132lbs.	59kg/130lbs.
Function	"Follow me" LED sign Two ways to deposit/dispense, loose notes and interface cassette Exit shutter Error recovery animation Slide extension unit/Low slide extension unit	"Follow me" LED sign Rejects foreign objects Collection through outlet Error recovery animation Slide extension unit/Low slide extension unit
Number of recycle modules	3 recycle modules Free layout recycle module	8 recycle modules Free layout recycle module
Capacity	100 notes/recycle	2/1/0.5 EURO 150 coins 0.2 EURO 160 coins 0.1/0.05 EURO 200 coins 0.02 EURO 250 coins 0.01 EURO 350 coins
Other currencies	100 notes / recycle	-

	CI-10B (banknote recycler)	CI-10C (coin recycler)
Collection capacity	Selectable collection 450 notes (SCC) 300 notes (IFC)	
Total capacity of banknotes/coins	750 notes (SCC) 600 notes (IFC)	Depends on a recycle module configuration
Deposit		
Capacity of inlet:	30 notes (with cover opened)	50 coins
Speed of cash in:	3 notes/sec	4 coins/sec
Dispensing		
Capacity of outlet:	10 notes	50 coins
Speed of cash out:	3 notes/sec	3coins/sec
Recognition unit	Counterfeit detection	Counterfeit detection
Currencies	EURO Other currencies on request	EURO Other currencies on request
Terminal	FCC included (Controls CI-10B, CI-10C) Slide extension unit: FCC must be located inside of slide extension until of CI-10B Low slide extension unit: FCC must be located outside of low side extension unit of CI-10B	
Supply voltage range	AC 100V-240V	
Nominal frequency	50/60Hz	
Power consumption	40-200W	
Approval	CE, UL	CE, UL

GRUPPO PIXEL Srl

Via Enrico Mattei, 86/13 – 40138 - BOLOGNA

TEL. 051-535550 – mail: info@gruppopixel.com - www.gruppopixel.com

